

Centrifugal Pump



1450 RPM

2900 RPM


Model	Date	Curve No.	Issue	Model	Date	Curve No.	Issue
E32-13	28/08/97	PT-2113	3	E100-32	28/08/97	PT-5315	4
E32-16	28/08/97	PT-2274	3	E100-40	28/08/97	PT-5316	4
E32-20	28/08/97	PT-2044	3	E125-20	28/08/97	PT-5311	4
E32-26	28/08/97	PT-2050	3	E125-26	28/08/97	PT-5318	4
E40-13	28/08/97	PT-2289	3	E125-32	28/08/97	PT-2495	3
E40-16	28/08/97	PT-2508	3	E125-40	28/08/97	PT-5319	4
E40-20	28/08/97	PT-2031	2	E150-20	28/08/97	PT-5313	4
E40-26	28/08/97	PT-2057	3	E150-26	28/08/97	PT-5314	4
E40-32	28/08/97	PE-3022	3	E150-32	28/08/97	PT-5320	4
E50-13	28/08/97	PT-2048	3	E150-40	28/08/97	PT-5317	4
E50-16	28/08/97	PT-2098	3	E200-32	1/03/00	PT-5505	1
E50-20	28/08/97	PT-2107	3	E200-40	1/03/00	PT-5506	1
E50-26	28/08/97	PT-2085	3	E250-32	1/10/00	PT-5507	1
E50-32	28/08/97	PT-3003	3	E250-40	1/10/00	PT-5508	1
E65-13	28/08/97	PT-2046	3				
E65-16	28/08/97	PT-2194	3				
E65-20	28/08/97	PT-2027	3				
E65-26	28/08/97	PT-2033	3				
E65-32	28/08/97	PT-2276	3				
E80-16	28/08/97	PT-2073	3				
E80-20	28/08/97	PT-2115	3				
E80-26	28/08/97	PT-2158	3				
E80-32	28/08/97	PT-2489	3				
E80-40	28/08/97	PT-3000	3				
E100-16	5/09/02	PE-5347	1				
E100-20	28/08/97	PT-2153	3				
E100-26	28/08/97	PT-2192	3				

1/06/05


Model	Date	Curve No.	Issue
E32-13	28/08/97	PT-2114	3
E32-16	28/08/97	PT-2275	3
E32-20	28/08/97	PT-2043	3
E32-26	28/08/97	PT-2049	3
E40-13	28/08/97	PT-2290	3
E40-16	28/08/97	PT-2509	3
E40-20	28/08/97	PT-2029	3
E40-26	28/08/97	PT-2056	3
EH40-32	28/08/97	PT-5022	3
E50-13	28/08/97	PT-2047	3
E50-16	28/08/97	PT-2097	3
E50-20	28/08/97	PT-2106	3
E50-26	28/08/97	PT-2084	3
EH50-32	28/08/97	PT-5023	3
E65-13	28/08/97	PT-2045	3
E65-16	28/08/97	PT-2195	3
E65-20	28/08/97	PT-2028	3
E65-26	28/08/97	PT-2032	3
EH65-32	28/08/97	PT-5024	3
E80-16	28/08/97	PT-2072	3
E80-20	28/08/97	PT-2116	3
E80-26	28/08/97	PT-2231	3
EH80-32	28/08/97	PT-5025	3
E100-16	5/09/02	PE-5348	1
E100-20	23/12/97	PT-2238	4
E100-26	28/08/97	PT-2235	3
E125-20	28/08/97	PT-5312	4


1/06/05

Selection Chart 1450 rpm




Selection Chart 2900 rpm






ELITE E32-13	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2113	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E32-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2274	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E32-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2044	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E32-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2050	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E40-13	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2289	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E40-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2508	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E40-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2031	DATE 28-8-97	ISSUE 2
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E40-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2057	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E40-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KGB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 3022	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E50-13	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KGB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2048	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E50-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2098	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E50-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2107	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E50-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2085	DATE 28-8-97	ISSUE 3
------------------------	---	-----------------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E50-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 3003	DATE 28-8-97	ISSUE 3
------------------------	---	-----------------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E65-13	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2046	DATE 28-8-97	ISSUE 3
------------------------	---	---------------------------	---------------------------	------------------------	-----------------	------------

NOTE Due to our policy of constant research and development product specifications may change without notice.




ELITE E65-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2194	DATE 28-8-97	ISSUE 3
------------------------	---	---------------------------	---------------------------	------------------------	-----------------	------------

NOTE Due to our policy of constant research and development product specifications may change without notice.




ELITE E65-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2276	DATE 28-8-97	ISSUE 3
-------------------------------	---	---------------------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E80-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2073	DATE 28-8-97	ISSUE 3
-------------------------------	---	---------------------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E80-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2115	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E80-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2158	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E80-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2489	DATE 28-8-97	ISSUE 3
------------------------	---	-----------------------	----------------------------------	-------------------------------	------------------------	-------------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E80-40	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 3000	DATE 28-8-97	ISSUE 3
------------------------	---	-----------------------	----------------------------------	-------------------------------	------------------------	-------------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E100-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PE - 5347	DATE 05-09-02	ISSUE 1
------------------	---	----------------	---------------------------	------------------------	------------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E100-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2153	DATE 28-8-97	ISSUE 3
------------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E100-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2192	DATE 28-8-97	ISSUE 3
-------------------------	---	---------------------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E100-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 5315	DATE 28-8-97	ISSUE 4
-------------------------	---	---------------------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E100-40	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT 5316	DATE 28-8-97	ISSUE 4
------------------	---	----------------	---------------------------	----------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E125-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 5311	DATE 28-8-97	ISSUE 4
------------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E125-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 5318	DATE 28-8-97	ISSUE 4
------------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E125-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 2495	DATE 28-8-97	ISSUE 3
------------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E125-40	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 5319	DATE 28-8-97	ISSUE 4
------------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E150-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 5313	DATE 28-8-97	ISSUE 4
------------------	---	----------------	---------------------------	------------------------	-----------------	------------




ELITE E150-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 5314	DATE 28-8-97	ISSUE 4
------------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E150-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 5320	DATE 28-8-97	ISSUE 4
------------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E150-40	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 RPM	CURVE NO. PT - 5317	DATE 28-8-97	ISSUE 4
------------------	---	----------------	---------------------------	------------------------	-----------------	------------


NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E200-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 R.P.M	CURVE NO. PT - 5505	DATE MAR 2000	ISSUE 1
------------------	---	----------------	-----------------------------	------------------------	------------------	------------





ELITE E200-40	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 R.P.M	CURVE NO. PT - 5506	DATE MAR 2000	ISSUE 1
------------------	---	----------------	-----------------------------	------------------------	------------------	------------



ELITE E250-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 1450 R.P.M	CURVE NO. PT - 5507	DATE OCT 2000	ISSUE 1
------------------	---	----------------	-----------------------------	------------------------	------------------	------------




ELITE E250-40	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps 	NOMINAL SPEED 1450 R.P.M.	CURVE NO. PT - 5508	DATE OCT 2000	ISSUE 1
--------------------------------	---	---	-------------------------------------	-------------------------------	-------------------------	-------------------




ELITE E32-13	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2114	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E32-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2275	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E32-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2043	DATE 28-8-97	ISSUE 3
------------------------	---	---------------------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E32-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2049	DATE 28-8-97	ISSUE 3
------------------------	---	---------------------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E40-13	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2290	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E40-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2509	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E40-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2029	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E40-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2056	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE EH40-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 5022	DATE 28-8-97	ISSUE 3
------------------	---	----------------	---------------------------	------------------------	-----------------	------------


NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E50-13	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2047	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------


NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E50-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps 	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2097	DATE 28-8-97	ISSUE 3
-----------------	---	--	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E50-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps 	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2106	DATE 28-8-97	ISSUE 3
-----------------	---	--	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E65-13	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2045	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE Due to our policy of constant research and development product specifications may change without notice.




ELITE E65-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2195	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE Due to our policy of constant research and development product specifications may change without notice.




ELITE E65-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2028	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E65-26	Performance to AS 2417 Part 2 Annex B (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2032	DATE 28-8-97	ISSUE 3
-----------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE EH65-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 5024	DATE 28-8-97	ISSUE 3
-------------------------	---	---------------------------	---------------------------	------------------------	-----------------	------------


NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E80-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2072	DATE 28-8-97	ISSUE 3
------------------------	---	---------------------------	---------------------------	------------------------	-----------------	------------


NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E80-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps 	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2116	DATE 28-8-97	ISSUE 3
-----------------	---	--	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE E80-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps 	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2231	DATE 28-8-97	ISSUE 3
-----------------	---	--	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development, product specifications may change without notice.




ELITE EH80-32	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 5025	DATE 28-8-97	ISSUE 3
-------------------------	---	-----------------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E100-16	Performance to AS 2417 Part 2 (ISO 2548 Class C)	KSB Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PE - 5348	DATE 05-09-02	ISSUE 1
-------------------------	---	-----------------------	---------------------------	------------------------	------------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.




ELITE E100-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2238	DATE 23-12-97	ISSUE 4
------------------	---	----------------	---------------------------	------------------------	------------------	------------


NOTE: Due to our policy of constant research and development product specifications may change without notice.



ELITE E100-26	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 2235	DATE 28-8-97	ISSUE 3
------------------	---	----------------	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.



ELITE E125-20	Performance to AS 2417 Part 2 (ISO 2548 Class C)	K&B Ajax Pumps 	NOMINAL SPEED 2900 RPM	CURVE NO. PT - 5312	DATE 28-8-97	ISSUE 4
--------------------------------	---	--	---------------------------	------------------------	-----------------	------------

NOTE: Due to our policy of constant research and development product specifications may change without notice.