

Waterpump
SEOCA



Waterpump
SEOCA

CB & CBS Series 6" Casting
Stainless Steel Submersible
Borehole Pump

The Leader of Casting Stainless Steel Submersible Borehole Pumps

Utilization of top class material

The CB series pumps are made completely of casting stainless steel. This provides maximum strength, durability, wear and tear resistance against sand or other impurities.

Superior design

Special design make the pump provide the customers with optimum performance at a competitive price. No special tool required for assembling and disassembling the pump.

State of the art manufacturing process

A specialized casting stainless steel process maximizes the toughness of the products, all the Parts have an excellent alignment when assembled for ensures the optimum quality of the pumps performance.





PERFORMANCE TABLE (50Hz)

| Model | Power (Kw) | Q: (l/min) Q: (m³/h) | 150 | 200 | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 | 750 | 800 | 850 | 900 | 950 | 1000 | 1050 | 1100 |
|---------|---------------|-------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|
| | | | 9 | 12 | 15 | 18 | 21 | 24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48 | 51 | 54 | 57 | 60 | 63 | 66 |
| CB20-5 | 3 | | 41 | 39 | 37 | 34 | 30 | 24 | 17 | | | | | | | | | | | | | |
| CB20-7 | 4 | | 59 | 56 | 53 | 49 | 43 | 35 | 25 | | | | | | | | | | | | | |
| CB20-10 | 5.5 | | 86 | 82 | 78 | 70 | 60 | 48 | 32 | | | | | | | | | | | | | |
| CB20-13 | 7.5 | | 112 | 107 | 100 | 91 | 78 | 62 | 44 | | | | | | | | | | | | | |
| CB20-14 | 9.3 | | 125 | 120 | 113 | 102 | 88 | 70 | 48 | | | | | | | | | | | | | |
| CB20-17 | 9.3 | | 144 | 138 | 130 | 118 | 102 | 80 | 56 | | | | | | | | | | | | | |
| CB20-20 | 11 | | 170 | 163 | 152 | 140 | 120 | 96 | 67 | | | | | | | | | | | | | |
| CB20-22 | 15 | | 196 | 188 | 178 | 160 | 138 | 108 | 72 | | | | | | | | | | | | | |
| CB20-26 | 15 | H: (m) | 220 | 212 | 202 | 183 | 156 | 124 | 82 | | | | | | | | | | | | | |
| CB20-28 | 18.5 | | 254 | 246 | 232 | 212 | 182 | 144 | 92 | | | | | | | | | | | | | |
| CB20-33 | 18.5 | | 276 | 264 | 248 | 226 | 196 | 156 | 100 | | | | | | | | | | | | | |
| CB20-35 | 22 | | 316 | 305 | 289 | 265 | 224 | 178 | 116 | | | | | | | | | | | | | |
| CB20-40 | 22 | | 357 | 340 | 319 | 292 | 252 | 196 | 128 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| CB30-3 | 3 | | | | | | 26 | 25 | 23 | 21 | 20 | 18 | 16 | | | | | | | | | |
| CB30-4 | 4 | | | | | | 35 | 33 | 31 | 28 | 26 | 23 | 18 | | | | | | | | | |
| CB30-6 | 5.5 | | | | | | 52 | 49 | 46 | 43 | 38 | 34 | 27 | | | | | | | | | |
| CB30-8 | 7.5 | | | | | | 70 | 68 | 62 | 58 | 52 | 44 | 36 | | | | | | | | | |
| CB30-10 | 9.3 | | | | | | 86 | 82 | 76 | 71 | 64 | 56 | 46 | | | | | | | | | |
| CB30-13 | 11 | | | | | | 113 | 107 | 100 | 93 | 84 | 74 | 62 | | | | | | | | | |
| CB30-14 | 15 | | | | | | 136 | 131 | 124 | 116 | 105 | 94 | 77 | | | | | | | | | |
| CB30-17 | 15 | | | | | | 146 | 140 | 132 | 124 | 112 | 100 | 82 | | | | | | | | | |
| CB30-18 | 18.5 | | | | | | 170 | 165 | 156 | 146 | 132 | 117 | 94 | | | | | | | | | |
| CB30-21 | 18.5 | H: (m) | | | | | 186 | 178 | 168 | 157 | 142 | 126 | 101 | | | | | | | | | |
| CB30-23 | 22 | | | | | | 216 | 208 | 197 | 185 | 166 | 146 | 117 | | | | | | | | | |
| CB30-26 | 22 | | | | | | 229 | 220 | 208 | 193 | 176 | 156 | 123 | | | | | | | | | |
| CB30-29 | 30 | | | | | | 272 | 263 | 250 | 235 | 212 | 186 | 150 | | | | | | | | | |
| CB30-34 | 30 | | | | | | 301 | 288 | 272 | 253 | 229 | 200 | 161 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| CB46-5 | 7.5 | | | | | | | | | 53 | 51 | 48 | 46 | 42 | 38 | 34 | 29 | | | | | |
| CB46-6 | 9.3 | | | | | | | | | 63 | 61 | 58 | 55 | 51 | 46 | 41 | 34 | | | | | |
| CB46-7 | 11 | | | | | | | | | 73 | 70 | 67 | 63 | 59 | 54 | 47 | 40 | | | | | |
| CB46-9 | 15 | | | | | | | | | 94 | 90 | 86 | 82 | 76 | 70 | 62 | 52 | | | | | |
| CB46-12 | 18.5 | | | | | | | | | 123 | 118 | 113 | 107 | 100 | 91 | 82 | 70 | | | | | |
| CB46-15 | 22 | H: (m) | | | | | | | | 156 | 151 | 143 | 135 | 125 | 115 | 102 | 88 | | | | | |
| CB46-16 | 30 | | | | | | | | | 188 | 182 | 176 | 168 | 158 | 144 | 127 | 109 | | | | | |
| CB46-20 | 30 | | | | | | | | | 210 | 204 | 195 | 184 | 172 | 156 | 138 | 118 | | | | | |
| CB46-23 | 37 | | | | | | | | | 242 | 234 | 225 | 214 | 200 | 183 | 160 | 136 | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| CB60-4 | 7.5 | | | | | | | | | | | | | | 41 | 40 | 38 | 35 | 32 | 29 | 25 | 20 |
| CB60-5 | 9.3 | | | | | | | | | | | | | | 51 | 48 | 45 | 42 | 38 | 34 | 29 | 24 |
| CB60-6 | 11 | | | | | | | | | | | | | | 61 | 58 | 54 | 50 | 45 | 40 | 34 | 28 |
| CB60-8 | 15 | | | | | | | | | | | | | | 81 | 77 | 72 | 67 | 61 | 54 | 46 | 37 |
| CB60-10 | 18.5 | | | | | | | | | | | | | | 101 | 96 | 90 | 83 | 75 | 67 | 58 | 47 |
| CB60-12 | 22 | H: (m) | | | | | | | | | | | | | 121 | 115 | 108 | 100 | 90 | 80 | 68 | 56 |
| CB60-14 | 30 | | | | | | | | | | | | | | 152 | 144 | 135 | 125 | 114 | 102 | 89 | 73 |
| CB60-16 | 30 | | | | | | | | | | | | | | 174 | 167 | 157 | 145 | 132 | 117 | 100 | 83 |
| CB60-18 | 37 | | | | | | | | | | | | | | 188 | 180 | 168 | 156 | 142 | 124 | 108 | 90 |
| CB60-20 | 37 | | | | | | | | | | | | | | 210 | 201 | 189 | 174 | 159 | 140 | 121 | 100 |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

Performance curve



CB20
2900rpm
50Hz



| Pump Type | Motor | | Dimension (mm) | | Net Weight (Kg) | |
|-----------|---------|-------|----------------|------|-----------------|-------|
| | Type | Power | Pump | | | |
| | | kW | HP | A | B | Pump |
| CB20-5 | 4"Motor | 3.00 | 4.00 | 548 | 132 | 14.50 |
| CB20-7 | 4"Motor | 4.00 | 5.50 | 665 | 132 | 18.00 |
| CB20-10 | 4"Motor | 5.50 | 7.50 | 853 | 132 | 23.50 |
| CB20-13 | 6"Motor | 7.50 | 10.00 | 1032 | 132 | 31.00 |
| CB20-14 | 6"Motor | 9.30 | 12.50 | 1092 | 132 | 33.50 |
| CB20-17 | 6"Motor | 9.30 | 12.50 | 1272 | 132 | 40.00 |
| CB20-20 | 6"Motor | 11.00 | 15.00 | 1452 | 132 | 45.50 |
| CB20-22 | 6"Motor | 15.00 | 20.00 | 1572 | 132 | 49.50 |
| CB20-26 | 6"Motor | 15.00 | 20.00 | 1812 | 132 | 56.50 |
| CB20-28 | 6"Motor | 18.50 | 25.00 | 1932 | 132 | 60.50 |
| CB20-33 | 6"Motor | 18.50 | 25.00 | 2232 | 132 | 70.50 |
| CB20-35 | 6"Motor | 22.00 | 30.00 | 2352 | 132 | 74.00 |
| CB20-40 | 6"Motor | 22.00 | 30.00 | 2655 | 132 | 83.00 |

Performance curve



CB30
2900rpm
50Hz



| Pump Type | Motor | | Dimension (mm) | | Net Weight (Kg) | |
|-----------|---------|-------|----------------|------|-----------------|-------|
| | Type | Power | Pump | | | |
| | | kW | HP | A | B | Pump |
| CB30-3 | 4"Motor | 3.00 | 4.00 | 511 | 133 | 13.00 |
| CB30-4 | 4"Motor | 4.00 | 5.50 | 595 | 133 | 15.50 |
| CB30-6 | 4"Motor | 5.50 | 7.50 | 765 | 133 | 21.00 |
| CB30-8 | 6"Motor | 7.50 | 10.00 | 930 | 133 | 27.50 |
| CB30-10 | 6"Motor | 9.30 | 12.50 | 1098 | 133 | 33.00 |
| CB30-13 | 6"Motor | 11.00 | 15.00 | 1348 | 133 | 41.00 |
| CB30-14 | 6"Motor | 15.00 | 20.00 | 1430 | 133 | 44.00 |
| CB30-17 | 6"Motor | 15.00 | 20.00 | 1680 | 133 | 52.00 |
| CB30-18 | 6"Motor | 18.50 | 25.00 | 1763 | 133 | 54.50 |
| CB30-21 | 6"Motor | 18.50 | 25.00 | 2012 | 133 | 62.50 |
| CB30-23 | 6"Motor | 22.00 | 30.00 | 2178 | 133 | 67.50 |
| CB30-26 | 6"Motor | 22.00 | 30.00 | 2427 | 133 | 75.50 |
| CB30-29 | 6"Motor | 30.00 | 40.00 | 2676 | 133 | 83.50 |
| CB30-34 | 6"Motor | 30.00 | 40.00 | 3091 | 133 | 97.00 |

Performance curve



CB46
2900rpm
50Hz



| Pump Type | Motor | | | Dimension (mm) | | Net Weight (Kg) |
|-----------|---------|-------|-------|----------------|-----|-----------------|
| | Type | Power | | Pump | | |
| | | kW | HP | A | B | Pump |
| CB46-5 | 6"Motor | 7.50 | 10.00 | 745 | 144 | 23.00 |
| CB46-6 | 6"Motor | 9.30 | 12.50 | 839 | 144 | 26.50 |
| CB46-7 | 6"Motor | 11.00 | 15.00 | 932 | 144 | 29.50 |
| CB46-9 | 6"Motor | 15.00 | 20.00 | 1122 | 144 | 36.00 |
| CB46-12 | 6"Motor | 18.50 | 25.00 | 1404 | 144 | 46.00 |
| CB46-15 | 6"Motor | 22.00 | 30.00 | 1686 | 144 | 56.00 |
| CB46-16 | 6"Motor | 30.00 | 40.00 | 1780 | 144 | 59.00 |
| CB46-20 | 6"Motor | 30.00 | 40.00 | 2156 | 144 | 72.00 |
| CB46-23 | 6"Motor | 37.00 | 50.00 | 2440 | 144 | 82.00 |

Performance curve

CB60
2900rpm
50Hz




| Pump Type | Motor | | | Dimension (mm) | | Net Weight (Kg) |
|-----------|---------|-------|-------|----------------|-----|-----------------|
| | Type | Power | | Pump | | |
| | | kW | HP | A | B | Pump |
| CB60-4 | 6"Motor | 7.50 | 10.00 | 655 | 144 | 20.00 |
| CB60-5 | 6"Motor | 9.30 | 12.50 | 745 | 144 | 23.00 |
| CB60-6 | 6"Motor | 11.00 | 15.00 | 839 | 144 | 26.50 |
| CB60-8 | 6"Motor | 15.00 | 20.00 | 1030 | 144 | 34.00 |
| CB60-10 | 6"Motor | 18.50 | 25.00 | 1218 | 144 | 40.00 |
| CB60-12 | 6"Motor | 22.00 | 30.00 | 1404 | 144 | 47.00 |
| CB60-14 | 6"Motor | 30.00 | 40.00 | 1592 | 144 | 55.00 |
| CB60-16 | 6"Motor | 30.00 | 40.00 | 1780 | 144 | 61.50 |
| CB60-18 | 6"Motor | 37.00 | 50.00 | 1968 | 144 | 68.00 |
| CB60-20 | 6"Motor | 37.00 | 50.00 | 2156 | 144 | 73.00 |

PERFORMANCE TABLE (60Hz)

| Model | Power (kW) | Q: (l/min) Q: (m³/h) | 150 | 200 | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 | 650 | 700 | 750 | 800 | 850 | 900 | 950 | 1000 | 1050 | 1100 | 1166 | |
|----------|---------------|-------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|-----|
| | | | 9 | 12 | 15 | 18 | 21 | 24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48 | 51 | 54 | 57 | 60 | 63 | 66 | 70 | |
| CBS20-4 | 4 | | 55 | 54 | 51 | 48 | 46 | 39 | 34 | 27 | | | | | | | | | | | | | | |
| CBS20-5 | 5.5 | | 69 | 67 | 64 | 61 | 56 | 50 | 43 | 35 | | | | | | | | | | | | | | |
| CBS20-8 | 7.5 | | 109 | 106 | 102 | 96 | 89 | 79 | 67 | 54 | | | | | | | | | | | | | | |
| CBS20-10 | 9.3 | | 132 | 128 | 125 | 120 | 112 | 102 | 88 | 73 | | | | | | | | | | | | | | |
| CBS20-12 | 11 | | 163 | 157 | 154 | 148 | 136 | 121 | 106 | 85 | | | | | | | | | | | | | | |
| CBS20-18 | 15 | | 241 | 240 | 226 | 216 | 201 | 179 | 153 | 120 | | | | | | | | | | | | | | |
| CBS20-22 | 18.5 | | 290 | 284 | 275 | 263 | 246 | 219 | 185 | 146 | | | | | | | | | | | | | | |
| CBS20-27 | 22 | | 355 | 347 | 336 | 319 | 293 | 257 | 215 | 169 | | | | | | | | | | | | | | |
| CBS30-3 | 5.5 | | | | | | 44 | 43 | 42 | 40 | 38 | 36 | 34 | 31 | | | | | | | | | | |
| CBS30-5 | 7.5 | | | | | | 71 | 69 | 68 | 65 | 63 | 60 | 56 | 52 | | | | | | | | | | |
| CBS30-6 | 9.3 | | | | | | 86 | 84 | 82 | 79 | 76 | 72 | 67 | 61 | | | | | | | | | | |
| CBS30-7 | 11 | | | | | | 102 | 99 | 96 | 93 | 90 | 85 | 79 | 72 | | | | | | | | | | |
| CBS30-11 | 15 | | | | | | 157 | 153 | 149 | 143 | 137 | 135 | 121 | 111 | | | | | | | | | | |
| CBS30-14 | 18.5 | | | | | | 199 | 195 | 189 | 182 | 178 | 164 | 153 | 140 | | | | | | | | | | |
| CBS30-18 | 22 | | | | | | 252 | 246 | 239 | 230 | 220 | 197 | 194 | 177 | | | | | | | | | | |
| CBS30-21 | 30 | | | | | | 298 | 290 | 281 | 272 | 260 | 246 | 229 | 210 | | | | | | | | | | |
| CBS46-3 | 7.5 | | | | | | | | | | 50 | 48 | 47 | 45 | 43 | 41 | 38 | 35 | 32 | | | | | |
| CBS46-4 | 9.3 | | | | | | | | | | 67 | 65 | 63 | 60 | 58 | 54 | 51 | 47 | 43 | | | | | |
| CBS46-5 | 11 | | | | | | | | | | 83 | 81 | 78 | 75 | 72 | 68 | 64 | 60 | 54 | | | | | |
| CBS46-7 | 15 | | | | | | | | | | 113 | 111 | 108 | 104 | 99 | 94 | 88 | 81 | 73 | | | | | |
| CBS46-9 | 18.5 | | | | | | | | | | 147 | 143 | 137 | 134 | 128 | 122 | 114 | 105 | 95 | | | | | |
| CBS46-11 | 22 | | | | | | | | | | 180 | 175 | 170 | 164 | 157 | 149 | 140 | 129 | 116 | | | | | |
| CBS46-15 | 30 | | | | | | | | | | 245 | 239 | 233 | 226 | 217 | 206 | 194 | 179 | 164 | | | | | |
| CBS60-3 | 9.3 | | | | | | | | | | | | | | 49 | 48 | 47 | 46 | 44 | 43 | 41 | 39 | 38 | 35 |
| CBS60-4 | 11 | | | | | | | | | | | | | | 66 | 64 | 63 | 61 | 59 | 57 | 54 | 52 | 50 | 45 |
| CBS60-5 | 15 | | | | | | | | | | | | | | 83 | 81 | 79 | 77 | 74 | 71 | 68 | 66 | 62 | 56 |
| CBS60-7 | 18.5 | | | | | | | | | | | | | | 116 | 113 | 110 | 107 | 104 | 100 | 95 | 90 | 85 | 78 |
| CBS60-8 | 22 | | | | | | | | | | | | | | 133 | 130 | 127 | 124 | 120 | 116 | 111 | 104 | 100 | 92 |
| CBS60-11 | 30 | | | | | | | | | | | | | | 182 | 178 | 174 | 170 | 166 | 161 | 155 | 148 | 140 | 130 |
| | | | | | | | | | | | | | | | 215 | 211 | 206 | 200 | 194 | 188 | 180 | 171 | 162 | 150 |





Performance curve



| Pump Type | Motor | | Dimension(mm) | | Net Weight(Kg) | |
|-----------|---------|-------|---------------|------|----------------|-------|
| | Type | Power | | Pump | | Pump |
| | | kW | HP | A | B | |
| CBS20-4 | 4"Motor | 4.00 | 5.50 | 488 | 132 | 12.80 |
| CBS20-5 | 4"Motor | 5.50 | 7.50 | 548 | 132 | 14.80 |
| CBS20-8 | 6"Motor | 7.50 | 10.00 | 732 | 132 | 19.80 |
| CBS20-10 | 6"Motor | 9.30 | 12.50 | 853 | 132 | 23.50 |
| CBS20-12 | 6"Motor | 11.00 | 15.00 | 973 | 132 | 29.20 |
| CBS20-18 | 6"Motor | 15.00 | 20.00 | 1334 | 132 | 41.70 |
| CBS20-22 | 6"Motor | 18.50 | 25.00 | 1572 | 132 | 49.50 |
| CBS20-27 | 6"Motor | 22.00 | 30.00 | 1872 | 132 | 58.50 |

Performance curve



CBS30
3450rpm
60HZ



| Pump Type | Motor | | Dimension (mm) | | Net Weight (Kg) | |
|-----------|---------|-------|----------------|------|-----------------|-------|
| | Type | Power | | Pump | | |
| | | kW | HP | A | B | Pump |
| CBS30-3 | 4"Motor | 5.50 | 7.50 | 511 | 133 | 13.00 |
| CBS30-5 | 6"Motor | 7.50 | 10.00 | 685 | 133 | 18.50 |
| CBS30-6 | 6"Motor | 9.30 | 12.50 | 765 | 133 | 21.00 |
| CBS30-7 | 6"Motor | 11.00 | 15.00 | 850 | 133 | 24.50 |
| CBS30-11 | 6"Motor | 15.00 | 20.00 | 1183 | 133 | 35.50 |
| CBS30-14 | 6"Motor | 18.50 | 25.00 | 1430 | 133 | 44.00 |
| CBS30-18 | 6"Motor | 22.00 | 30.00 | 1763 | 133 | 54.50 |
| CBS30-21 | 6"Motor | 30.00 | 40.00 | 2012 | 133 | 62.50 |

Performance curve

CBS46
3450rpm
60HZ





| Pump Type | Motor | | Dimension (mm) | | Net Weight (Kg) | |
|-----------|---------|-------|----------------|------|-----------------|-------|
| | Type | Power | | Pump | | |
| | | kW | HP | A | B | Pump |
| CBS46-3 | 6"Motor | 7.50 | 10.00 | 558 | 144 | 16.00 |
| CBS46-4 | 6"Motor | 9.30 | 12.50 | 655 | 144 | 19.50 |
| CBS46-5 | 6"Motor | 11.00 | 15.00 | 745 | 144 | 23.00 |
| CBS46-7 | 6"Motor | 15.00 | 20.00 | 932 | 144 | 29.50 |
| CBS46-9 | 6"Motor | 18.50 | 25.00 | 1122 | 144 | 36.00 |
| CBS46-11 | 6"Motor | 22.00 | 30.00 | 1310 | 144 | 42.00 |
| CBS46-15 | 6"Motor | 30.00 | 40.00 | 1686 | 144 | 56.00 |

CBS60

3450rpm


60Hz

Performance curve



| Pump Type | Motor Type | Power | | Dimension (mm) | | Net Weight (Kg) |
|-----------|------------|-------|-------|----------------|-----|-----------------|
| | | kW | HP | A | B | |
| CBS60-3 | 6"Motor | 9.30 | 12.50 | 558 | 144 | 17.00 |
| CBS60-4 | 6"Motor | 11.00 | 15.00 | 655 | 144 | 20.00 |
| CBS60-5 | 6"Motor | 15.00 | 20.00 | 932 | 144 | 29.50 |
| CBS60-7 | 6"Motor | 18.50 | 25.00 | 1030 | 144 | 34.00 |
| CBS60-8 | 6"Motor | 22.00 | 30.00 | 1310 | 144 | 43.50 |
| CBS60-11 | 6"Motor | 30.00 | 40.00 | 1498 | 144 | 51.00 |
| CBS60-13 | 6"Motor | 37.00 | 50.00 | | | |

Parts List



Construction Advantages

① Non-return valve (Casting Stainless steel)

Strong, tough and robust

Prevents the backflow of water providing the smooth and dependability pump operation.

② Bushing (High Grade Stainless Steel Added with Special Hardening Material)

Acting as protection between the shaft and the intermediate bearing for maximum resistance against wear and tear.

③ Diffuser (Casting Stainless Steel)

The strength and toughness of casting stainless steel provides maximum wear and tear resistant against sand.

④ Impeller (Casting Stainless Steel)

The strength and toughness of casting stainless steel provides maximum wear and tear resistant against sand. Superior design for high hydraulic performance and greater efficiency.

⑤ Shaft (Stainless Steel)

Finished oversized stainless steel shaft with fitted keys gives the perfect alignment for positive impeller drive.

⑥ Motor Bracket (Casting Stainless Steel)

Strong, tough and robust.

⑦ Suction Strainer (Stainless Steel)

Prevents the oversized sediments from entering and jamming the pump.

⑧ Coupling (Stainless Steel)

Facilitates the perfect alignment between the pump and the motor for a longer life span. Designed according to NEMA standard thus it can be used with any NEMA motors. Superior and user friendly pump design for easy assembling and disassembling of the pump. No special tool required.

⑨ Bearing (Polyurethane)

Installed in every stage for the dependable and reliable operation. It provides maximum sand handling capability.

⑩ Neck Ring (Polyurethane)

Installed in every diffuser to provide maximum sand heading capability.

